

| <i>Name, place of origin and earliest recorded date</i> | <i>size and appearance</i> | <i>flavour</i> | <i>picking date</i> | <i>season of use</i> | <i>flowering period</i> | <i>disease resistance</i> | <i>2yr olds</i> |
|---|---------------------------------------|--------------------|---------------------|----------------------|-------------------------|----------------------------|-----------------|
| Hanworth Codlin Hanworth 1948 | medium-large yellow striped red | slightly acidic | early Sept | Sept—Oct | C | | 2 |
| Norfolk Beauty Guntton Park 1901 | large yellow | acidic | early Sept | Sept—Nov | C | scab, mildew | |
| Summer Broaden unknown 1796 | large yellow striped red | slightly acidic | mid Sept | Sept—Oct | C | | 2 |
| Golden Noble Stow Bardolph 1820 | medium-large yellow | slightly acidic | early Oct | Oct—Dec | E | scab, mildew, canker | 2 |
| Robert Blatchford Hunstanton 1914 | large yellow | slightly acidic | early Oct | Oct—Dec | E | | 2 |
| Vicar of Beighton Beighton 1890 | large flushed red | slightly acidic | early Oct | Dec—Feb | D | | |
| Striped Beefing Lakenham 1794 | large green / striped red | slightly acidic | early Oct | Dec—Apr | C | | |
| Winter Broaden unknown 1796 | medium-large green / striped red | acidic | mid Oct | Oct—Dec | D | | |
| Five Crowned Pippin unknown 1500s | medium green / flushed red | acidic | mid Oct | Nov—Feb | D | scab | |
| Norfolk Beefing unknown 1698 | medium flushed red | slightly acidic | mid Oct | Dec—Apr | D | scab | 2 |
| Winter Majetin unknown 1734 | medium green / flushed red | slightly acidic | late Oct | Dec—Apr | E | woolly aphid | |



Robin pear (Norfolk pre 1900)

PEARS - dessert

| | | | | | | | |
|----------------------------------|----------------------|-------|----------|----------|---|--|---|
| Robin unknown pre 1900 | small flushed red | sweet | late Aug | Aug—Sept | C | | 2 |
|----------------------------------|----------------------|-------|----------|----------|---|--|---|

PEARS - culinary

| | | | | | | | |
|--|-----------------|-------|---------|---------|---|--|---|
| Hacon's Incomparable Downham Market 1792 | medium green | sweet | mid Oct | Oct—Nov | D | | 2 |
| Blickling Blickling Hall pre 1900 | medium green | sweet | mid Oct | Nov—Feb | D | | |

| Name, place of origin and earliest recorded date | size and appearance | flavour | picking date | season of use | flowering period | disease resistance | 2yr olds |
|--|---------------------|---------|--------------|---------------|------------------|--------------------|----------|
|--|---------------------|---------|--------------|---------------|------------------|--------------------|----------|

Suffolk

APPLES - dessert

| | | | | | | | |
|--|--------------------------------|-------|-----------|----------|-------|----------------------|---|
| Red Miller's Seedling Sudbury pre 1948 | small flushed red | sweet | late Aug | Aug—Sept | C PSF | | 2 |
| Suffolk Pink Earl Stonham c1990 | medium flushed pink | sweet | mid Sept | Sept-Oct | C | | |
| St. Edmund's Russet Bury St. Edmunds pre1845 | medium russet | sweet | mid Sept | Sept—Oct | C | scab, mildew, canker | |
| Honey Pippin Wickhambrook pre 1881 | medium reinette | sweet | mid Sept | Sept—Nov | C | | 2 |
| Clopton Red Wickhambrook 1946 | medium flushed red | sweet | late Sept | Oct—Nov | E | | 2 |
| Maxton Assington 1939 | medium reinette | sweet | early Oct | Nov—Jan | D PSF | mildew, canker | 2 |
| Maclean's Favourite Sudbury c1820 | medium yellow with red stripes | sweet | mid Oct | Nov—Feb | E | | 2 |

APPLES - dual purpose

| | | | | | | | |
|--|--------------------|-----------------|----------|---------|---|--|---|
| Lady Henniker Thornham Magna c1845 | medium-large green | slightly acidic | late Oct | Nov—Jan | D | | 2 |
|--|--------------------|-----------------|----------|---------|---|--|---|

APPLES - culinary

| | | | | | | | |
|---|----------------------------------|-----------------|-----------|-------------|---|--|---|
| Lord Stradbroke Henham Hall c1900 | medium-large flushed red | slightly acidic | early Oct | Oct—Dec/Feb | C | | 2 |
| Catherine Combs pre 1900 | medium yellow | slightly acidic | mid Oct | Dec—Feb | F | | 2 |
| Old Blake Blundeston pre 1900 | medium-large yellow flushed pink | slightly acidic | mid Oct | Oct—Feb/Mar | D | | 2 |

| Name, place of origin and earliest recorded date | size and appearance | flavour | picking date | season of use | flowering period | disease resistance | 2yr olds |
|--|---------------------|---------|--------------|---------------|------------------|--------------------|----------|
|--|---------------------|---------|--------------|---------------|------------------|--------------------|----------|

PLUMS & GAGES - dessert

| | | | | | | | |
|---|--------------------|-------|--------------|---------------|-----|----|--|
| Green Gage Hengrave Hall pre 1724 | medium-large green | sweet | mid-late Aug | mid-late Aug | C I | SS | |
| Coe's Golden Drop Bury St. Edmunds late 1700s | large yellow | sweet | late Sept | late Sept—Oct | B | SS | |

CHERRIES - dessert

| | | | | | | | |
|---|--------------------|-------|----------------|----------------|---|----|--|
| Polstead Black <i>N/A</i> Polstead pre 1900 | small-medium black | sweet | early-mid July | early-mid July | B | SS | |
|---|--------------------|-------|----------------|----------------|---|----|--|



Maxton (Suffolk 1939)